ELSEVIER

Journal of Organometallic Chemistry 528 (1997) 229

Journal of Organometallic Chemistry

Author Index of Volume 528

Alías, F.M., 47
Arnold, P.L., 77

Bardwell, D.A., 35
Barlow, S., 47
Barzoukas, M., 217
Bercaw, J.E., 65
Boutry, O., 143
Briggs, P.M., 225
Brookhart, M., 199
Bursten, B.E., 19

Carmona, E., 143
Chisholm, M.H., 221
Cloke, F.G.N., 77
Cooper, N.J., 151
Couchman, S., 35
Crabtree, R.H., 205

Day, M.W., 65
Dillon, K.B., 179
Donnadieu, B., 191

Elsegood, M.R.J., 209

Fawcett, J., 59
Filippov, I., 225
Ford, P.S., 195
Fort, A., 217

Gibson, V.C., 179
Glushove, D., 3
Grant, B.E., 199
Green, J.C., 91

Hart, C.E., 191
Henling, L.M., 65
Hillier, A.C., 209
Hitchcock, P.B., 185
Hogarth, G., 3
Howard, J.A.K., 179, 195
Howard, W.A., 95
Huang, J.-H., 221
Huffman, J.C., 221
Hughes, A.K., 195

Ingold, F., 163

Jeffery, J.C., 35

Kaltsoyannis, N., 19
Kavallieratos, K., 205
Kemmitt, R.D.W., 59
Khan, K., 77
Kiely, A.F., 65

Lappert, M.F., 185
Lavender, M.H., 3
Lenges, C.P., 199
Liu, S.Y., 209

MacBeath, C., 185
Manners, I., 47
Marder, S.R., 217
Marsh, S.M.B., 195
Mays, M.J., 123
McCleverty, J.A., 35
McGowan, P.C., 191
Mentes, A., 59
Menzer, S., 163
Michaelidou, D.M., 135
Miller, G.A., 151
Mingos, D.M.P., 135, 163
Mountford, P., 15
Müller, T.E., 163

Nelson, J.M., 47

O'Hare, D., 47
Ortiz, R., 217
Owen, S.M., 123

Parkin, G., 95
Pastor, A., 65
Patel, B.P., 205
Perry, R.T., 47
Poilblanc, R., 191
Poveda, M.L., 143

Raithby, P.R., 123
Redshaw, C., 179
Reinisch, P.F., 123
Russell, D.R., 59

Sakanishi, S., 35
Scott, F.P.E., 185
Scott, P., 77
Sella, A., 209
Sequeira, L., 179
Shields, G.P., 123
Solan, G.A., 123
Suslick, K.S., 83

Trnka, T.M., 95
Tudor, J.S., 47

Underwood, C., 91

Ward, M.D., 35
Warhurst, N.J.W., 185
Waters, M., 95
Weller, K.J., 225
White, A.J.P., 135
Wigley, D.E., 225
Williams, D.J., 135, 163
Wu, Z., 217

Yao, J.W., 179

Zekria, O., 209
Ziegler, C.J., 83

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 528 (1997) 231–236

Journal of Organometallic Chemistry

Subject Index of Volume 528

Alkoxide
Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221

Allyl
Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

Amide
Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Aminoborole
Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

Ansa-bridged
Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47

Bimetallic
Reactions of $[Cp_2Ti(N^tBu)(py)]$ with S–H bonds and synthesis of $[Cp_2Ti(\mu\text{-}S)_2TiCp_2]$ (P. Mountford), 15

Carbene
Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83

Carboranes
Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of $Pd(PMe_2Ph)_2Cl_2$ with $Tl_2[7\text{-}(RC_4H_2S)\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10}]$ (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135

Carboxylate
Ethylene elimination upon addition of acids to the μ-ethenyl complex $[Fe_2(CO)_4(\mu\text{-}\eta^2\text{-}HC{=}CH_2)(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$: synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

Catalysis
H/D exchange reactions between C_6D_6 and $C_5Me_5Co(CH_2{=}CHR)_2$ (R = H, $SiMe_3$): evidence for oxidative addition of C_{sp^2}–H bonds to the $[C_5Me_5(L)Co]$ moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

C–H activation
Formation of 1,2,3-η^3-butadienyl derivatives by photochemical C–H activation of Ir(I)-η^4-1,3-diene complexes containing tris(pyrazolyl)borate ligands (O. Boutry, M.L. Poveda and E. Carmona), 143

Chalcogen
Terminal chalcogenido complexes of zirconium: syntheses and reactivity of $Cp_2^*Zr(E)(NC_5H_5)$ (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95

C–H bond activation
H/D exchange reactions between C_6D_6 and $C_5Me_5Co(CH_2{=}CHR)_2$ (R = H, $SiMe_3$): evidence for oxidative addition of C_{sp^2}–H bonds to the $[C_5Me_5(L)Co]$ moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

Chromium
Group 6 transition metal complexes containing the σ-bonded 2,4,6-tris(trifluoromethyl)phenyl ("fluoromes") ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179

Cobalt
H/D exchange reactions between C_6D_6 and $C_5Me_5Co(CH_2{=}CHR)_2$ (R = H, $SiMe_3$): evidence for oxidative addition of C_{sp^2}–H bonds to the $[C_5Me_5(L)Co]$ moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

Computation
Electronic structure of f^1 lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of $[Ce(\eta\text{-}C_5H_5)_3]$, $[Th(\eta\text{-}C_5H_5)_3]$ and $[Pa(\eta\text{-}C_8H_8)_2]$ (N. Kaltsoyannis and B.E. Bursten), 19

Crystal structure
Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47

Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex $[(\eta^5\text{-}C_5H_5)(OC)_2W(\mu\text{-}H)(\mu\text{-}PPh_2)Mn(CO)_4]$ (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123

Crystal structures
Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentes, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59

Cyclopentadienyl
H/D exchange reactions between C_6D_6 and $C_5Me_5Co(CH_2{=}CHR)_2$ (R = H, $SiMe_3$): evidence for oxidative addition of C_{sp^2}–H bonds to the $[C_5Me_5(L)Co]$ moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91

Elsevier Science S.A.

Reactions of $[Cp_2Ti(N^tBu)(py)]$ with S–H bonds and synthesis of $[Cp_2Ti(\mu\text{-}S)_2TiCp_2]$ (P. Mountford), 15

Synthesis and characterization of $[\{W(\eta^5\text{-}C_5H_5)_2(CH_2CH_3)\}(\mu\text{-}O)\{W(\eta^5\text{-}C_5H_5)(O)(CH_2CH_3)\}]PF_6$, a mixed valence oxo alkyl dimer in which d^0 and d^2 tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151

Density functional

Electronic structure of f^1 lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of $[Ce(\eta\text{-}C_5H_5)_3]$, $[Th(\eta\text{-}C_5H_5)_3]$ and $[Pa(\eta\text{-}C_8H_8)_2]$ (N. Kaltsoyannis and B.E. Bursten), 19

Diene complexes

Formation of 1,2,3-η^3-butadienyl derivatives by photochemical C–H activation of Ir(I)-η^4-1,3-diene complexes containing tris(pyrazolyl)borate ligands (O. Boutry, M.L. Poveda and E. Carmona), 143

Diiron

Ethylene elimination upon addition of acids to the μ-ethenyl complex $[Fe_2(CO)_4(\mu\text{-}\eta^2\text{-}HC{=}CH_2)(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$: synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

Diphosphine

Ethylene elimination upon addition of acids to the μ-ethenyl complex $[Fe_2(CO)_4(\mu\text{-}\eta^2\text{-}HC{=}CH_2)(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$: synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

Electrochemistry

Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

Electronic structure

Electronic structure of f^1 lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of $[Ce(\eta\text{-}C_5H_5)_3]$, $[Th(\eta\text{-}C_5H_5)_3]$ and $[Pa(\eta\text{-}C_8H_8)_2]$ (N. Kaltsoyannis and B.E. Bursten), 19

Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91

f-Element

Electronic structure of f^1 lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of $[Ce(\eta\text{-}C_5H_5)_3]$, $[Th(\eta\text{-}C_5H_5)_3]$ and $[Pa(\eta\text{-}C_8H_8)_2]$ (N. Kaltsoyannis and B.E. Bursten), 19

Ethenyl

Ethylene elimination upon addition of acids to the μ-ethenyl complex $[Fe_2(CO)_4(\mu\text{-}\eta^2\text{-}HC{=}CH_2)(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$: synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

Exchange

Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191

Extended Hückel calculations

Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163

Ferrocene

Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

Fluorine

Group 6 transition metal complexes containing the σ-bonded 2,4,6-tris(trifluoromethyl)phenyl ("fluoromes") ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179

Fluxionality

Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163

Hafnium

Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

Halide

Ethylene elimination upon addition of acids to the μ-ethenyl complex $[Fe_2(CO)_4(\mu\text{-}\eta^2\text{-}HC{=}CH_2)(\mu\text{-}PCy_2)(\mu\text{-}dppm)]$: synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

Heteroarene

Bis(η-heteroarene)titanium complexes derived from 2,4,6-tri-*tert*-butylpyridine and 2,4,6-tri-*tert*-butylphosphorin: conformational preference in solution and redox activity (P.L. Arnold, F.G.N. Cloke, K. Khan and P. Scott), 77

Heterobimetallics

Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209

Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex $[(\eta^5\text{-}C_5H_5)(OC)_2W(\mu\text{-}H)(\mu\text{-}PPh_2)Mn(CO)_4]$ (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123

Hydride

Effects of dihydrogen bonding on fluxionality in $ReH_5(PPh_3)_2L$ (B.P. Patel, K. Kavallieratos and R.H. Crabtree), 205

Hydrido

Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex $[(\eta^5\text{-}C_5H_5)(OC)_2W(\mu\text{-}H)(\mu\text{-}PPh_2)Mn(CO)_4]$ (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123

Hydrodenitrogenation

Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225

Hydrogen bonding

Effects of dihydrogen bonding on fluxionality in $ReH_5(PPh_3)_2L$ (B.P. Patel, K. Kavallieratos and R.H. Crabtree), 205

Hydrotreating

Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225

Imide

Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Imido

Group 6 transition metal complexes containing the σ-bonded 2,4,6-tris(trifluoromethyl)phenyl ("fluoromes") ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179

Reactions of $[Cp_2Ti(N^tBu)(py)]$ with S–H bonds and synthesis of $[Cp_2Ti(\mu\text{-}S)_2TiCp_2]$ (P. Mountford), 15

Indenyl
Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
Ir complexes
Formation of 1,2,3-η^3-butadienyl derivatives by photochemical C–H activation of Ir(I)-η^4-1,3-diene complexes containing tris(pyrazolyl)borate ligands (O. Boutry, M.L. Poveda and E. Carmona), 143
Iron
Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83
Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
Isocarbonyl
Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209
Manganese
Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex $[(\eta^5\text{-}C_5H_5)(OC)_2W(\mu\text{-}H)(\mu\text{-}PPh_2)Mn(CO)_4]$ (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123
Merocyanines
Synthesis and optical properties of a new class of organometallic compounds: organometallic merocyanines (Z. Wu, R. Ortiz, A. Fort, M. Barzoukas and S.R. Marder), 217
Mesityl
Group 6 transition metal complexes containing the σ-bonded 2,4,6-tris(trifluoromethyl)phenyl (''fluoromes'') ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
Metal carbonyl anions
Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209
Metallacycle
Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
Metalloboranes
Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of $Pd(PMe_2Ph)_2Cl_2$ with $Tl_2[7\text{-}(RC_4H_2S)\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10}]$ (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135
Metallocene
Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
Metalloporphyrin
Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83
Metal–metal bond
Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221
Metal vapour synthesis
Bis(η-heteroarene)titanium complexes derived from 2,4,6-tri-*tert*-butylpyridine and 2,4,6-tri-*tert*-butylphosphorin: conformational preference in solution and redox activity (P.L. Arnold, F.G.N. Cloke, K. Khan and P. Scott), 77
Mixed valence
Synthesis and characterization of $[\{W(\eta^5\text{-}C_5H_5)_2(CH_2CH_3)\}(\mu\text{-}O)\{W(\eta^5\text{-}C_5H_5)(O)(CH_2CH_3)\}][PF_6]$, a mixed valence oxo alkyl dimer in which d^0 and d^2 tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
Molybdenum
Group 6 transition metal complexes containing the σ-bonded 2,4,6-tris(trifluoromethyl)phenyl (''fluoromes'') ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
Mössbauer
Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
Nickel
Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91
Nickel(0)
The synthesis and characterisation of some divinyldisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185
Nitrosyl
Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91
Non-linear optics (NLO)
Synthesis and optical properties of a new class of organometallic compounds: organometallic merocyanines (Z. Wu, R. Ortiz, A. Fort, M. Barzoukas and S.R. Marder), 217
Organometallic
Synthesis and optical properties of a new class of organometallic compounds: organometallic merocyanines (Z. Wu, R. Ortiz, A. Fort, M. Barzoukas and S.R. Marder), 217
Oxidation
Synthesis and characterization of $[\{W(\eta^5\text{-}C_5H_5)_2(CH_2CH_3)\}(\mu\text{-}O)\{W(\eta^5\text{-}C_5H_5)(O)(CH_2CH_3)\}][PF_6]$, a mixed valence oxo alkyl dimer in which d^0 and d^2 tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
Oxidative addition
Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221
Oxo
Synthesis and characterization of $[\{W(\eta^5\text{-}C_5H_5)_2(CH_2CH_3)\}(\mu\text{-}O)\{W(\eta^5\text{-}C_5H_5)(O)(CH_2CH_3)\}][PF_6]$, a mixed valence oxo alkyl dimer in which d^0 and d^2 tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
Terminal chalcogenido complexes of zirconium: syntheses and reactivity of $Cp_2^*Zr(E)(NC_5H_5)$ (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95
Palladium(II)
Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentes, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59
Palladium metalloboranes
Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of $Pd(PMe_2Ph)_2Cl_2$ with $Tl_2[7\text{-}(RC_4H_2S)\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10}]$ (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135

Phosphido
Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex $[(\eta^5\text{-}C_5H_5)(OC)_2W(\mu\text{-}H)(\mu\text{-}PPh_2)Mn(CO)_4]$ (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123
Phosphine
Group 6 transition metal complexes containing the σ-bonded 2,4,6-tris(trifluoromethyl)phenyl ("fluoromes") ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
The synthesis and characterisation of some divinyldisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185
Photochemistry
Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83
Photoelectron spectroscopy
Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91
Platinum
Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163
Platinum(0)
The synthesis and characterisation of some divinyldisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185
Platinum clusters
Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163
Platinum(I) dimers
Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163
Polyaromatic phosphines
Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163
Porphyrin
Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83
Protonation
Ethylene elimination upon addition of acids to the μ-ethenyl complex $[Fe_2(CO)_4(\mu\text{-}\eta^2\text{-}HC{=}CH_2)(\mu\text{-}PCy_2)(\mu\text{-dppm})]$: synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3
Pyridine
Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35
Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
Relativistic
Electronic structure of f^1 lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of $[Ce(\eta\text{-}C_5H_5)_3]$, $[Th(\eta\text{-}C_5H_5)_3]$ and $[Pa(\eta\text{-}C_8H_8)_2]$ (N. Kaltsoyannis and B.E. Bursten), 19
Rhenium
Effects of dihydrogen bonding on fluxionality in $ReH_5(PPh_3)_2L$ (B.P. Patel, K. Kavallieratos and R.H. Crabtree), 205
Rhodium
Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191
Samarium
Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209
Selenido
Terminal chalcogenido complexes of zirconium: syntheses and reactivity of $Cp_2^*Zr(E)(NC_5H_5)$ (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95
Sodium salts
Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191
Substituted cyclopentadienyls
Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191
Sulfido
Reactions of $[Cp_2Ti(N^tBu)(py)]$ with S–H bonds and synthesis of $[Cp_2Ti(\mu\text{-}S)_2TiCp_2]$ (P. Mountford), 15
Terminal chalcogenido complexes of zirconium: syntheses and reactivity of $Cp_2^*Zr(E)(NC_5H_5)$ (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95
Tantalum
Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
Tellurido
Terminal chalcogenido complexes of zirconium: syntheses and reactivity of $Cp_2^*Zr(E)(NC_5H_5)$ (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95
Tetrahydrofuran (THF)
Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentes, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59
Tetramethyldivinyldisiloxane
The synthesis and characterisation of some divinyldisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185
Thiophene substituted metalloboranes
Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of $Pd(PMe_2Ph)_2Cl_2$ with $Tl_2[7\text{-}(RC_4H_2S)\text{-}7,8\text{-}nido\text{-}C_2B_9H_{10}]$ (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135
Titanium
Bis(η-heteroarene)titanium complexes derived from 2,4,6-tri-*tert*-butylpyridine and 2,4,6-tri-*tert*-butylphosphorin: conformational preference in solution and redox activity (P.L. Arnold, F.G.N. Cloke, K. Khan and P. Scott), 77

Reactions of $[Cp_2Ti(N^tBu)(py)]$ with S–H bonds and synthesis of $[Cp_2Ti(\mu\text{-}S)_2TiCp_2]$ (P. Mountford), 15

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Triphenylantimony

Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentes, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59

Tungsten

Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221

Synthesis and characterization of $[\{W(\eta^5\text{-}C_5H_5)_2(CH_2CH_3)\}(\mu\text{-}O)\{W(\eta^5\text{-}C_5H_5)(O)(CH_2CH_3)\}]PF_6$, a mixed valence oxo alkyl dimer in which d^0 and d^2 tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151

Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex $[(\eta^5\text{-}C_5H_5)(OC)_2W(\mu\text{-}H)(\mu\text{-}PPh_2)Mn(CO)_4]$ (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123

UV–VIS Spectroscopy

Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

X-ray diffraction

Reactions of $[Cp_2Ti(N^tBu)(py)]$ with S–H bonds and synthesis of $[Cp_2Ti(\mu\text{-}S)_2TiCp_2]$ (P. Mountford), 15

Zirconium

Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

Terminal chalcogenido complexes of zirconium: syntheses and reactivity of $Cp_2^*Zr(E)(NC_5H_5)$ (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95